

# 1. Identification of a product and manufacturer

Product name: Pro·media Agar Tricolor

Code #: XMA-400

Manufacturer: Elmex Shanghai, Ltd.

Supplier (in JAPAN): Elmex, Ltd.

2-1, Ichigayasadohara-cho, Shinjuku-ku, Tokyo, 162-0842, Japan

Tel: 081-3-5229-7911

Emergencies Call: 081-3-5229-7911

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	39.2g/1.00L 0f purified water
Peptone	10.0g
Sodium chloride	5.0g
Sodium dihydrogenphosphate	2.2g
Disodium hydrogenphosphate	2.7g
Sodium pyruvate	1.0g
Potassium nitrate	1.0g
L-Tryptophan	1.0g
D-Sorbitol	1.0g
Sodium lauryl sulfate	0.1g
Agarose	15.0g
Magenta-GAL·X-GLUC enzyme substrate mixture	0.2g

## 3. HAZARDS IDENTIFICATION

The most important dangerous balefulness

<u>Balefulness:</u> Sodium lauryl sulfate is used as a cleaner raw materials of tooth powder widely, but it may trigger inflammation of eyes, falling-out hair, severe dandruff, an allergic reaction. In addition, It is mutagenesis, and brings about the possibility of changing gene information of cells. When Magenta-GAL & X-GLUC inhale it swallowed it, I am harmful. There is a stimulation when it touches eyes, skin, a mucous membrane.

Environmental impact. No data

Danger of physics and chemistry: No data

#### 4. First aid measures

After swallowing: Wash with water inside of a mouth. If symptoms express, consult a doctor.

After skin contact. Immediately wash with water and soap and rinse thoroughly.

<u>After eye contact</u>: Rinse opened eye for several minutes under water. If symptoms express, consult a doctor.

# 5. Fire fighting measures

<u>Extinguishing agent</u>. This product is nonflammability. Use the suitable extinguishing agent for the circumference fire.

Code#: XMA-400
Date of issue: 21 MAY 2013

Specific hazardous substances: There is particularly no it

<u>Specific extinguish measures</u>: This product is nonflammability. The fire is put out by using a suitable extinguishing agent. Move a removable container to a safe place immediately. In case of impossible moving, it cools off with a water mist to circumference. Perform extinguishing works as much as possible from the windward.

<u>Protection of those who extinguish the fire</u>: In the case of extinguishing work , wear a protection equipments as much as possible, and perform it from the windward

## 6. Accidental release measures

<u>Instructions for human body protection</u>: In case of accidental release measures, wear a rubber glove, protection glasses, protection clothes, etc.

<u>Instructions for environmental protection</u>: Take care that the leaked product is not drained in rivers and do not cause influence to environments careful.

A removal method: When it is leaked, wipe it off with a dustcloth.

# 7. Handing and storage

## Handing

<u>Technical measures</u>: Avoid contacting high temperature objects and highly acidic substances.

<u>Caution on safe handing</u>: Do not upset, make it fall, shock, or drag a container. After use wash a hand, a face, well and gargle. Don't eat, drink, and smoke any place other than an appointed place. Don't bring in a tool for protection that others polluted gloves at space for relaxation.

<u>Information for safe handing</u>: Wear a suitable protection equipment so that an eye, the skin, and clothing may not be touched.

#### **Storage**

Information about suitable storage: Avoid direct rays, seal and keep at the room temperature.

# 8. Exposure preventations and protection measures

<u>Measures against equipment</u>: Install equipment for the hand washing and eye washing near the handling place, and display the position of equipment clearly.

Management concentration: Not set up

#### **Permission concentration**

Japan Society for Occupational Health: Not set up

## **Protection equipment**

<u>Respiratory protection</u>: Use a NIOSH/MSHA or European Standard EN149 approved respirator if the vapor concentrations exceed regulatory guidelines.

Hand protection: Chemical resistant gloves.

Eye protection: Safety glasses (goggles)

Skin protection: Protective clothing

CONTROL PARAMETER: (1)-(3); OSHA Final Limits: None established

ACGIH TLV(s): None established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White powder

ODOR: Sweet odor

pH: 7.2

<u>BOILING POINT</u>: Not available <u>MELTING POINT</u>: Not available <u>FLASH POINT</u>: Not available <u>FLAMMABILITY</u> (solid, gas): ----

**DECOMPOSITION TEMPERATURE**: Not available

<u>EXPLOSIVE LIMITS</u>: Not available <u>VAPOR PRESSURE</u>: Not available

SPECIFIC GRAVITY: Approx. 1007 (at 20/4 -C= 68/39.2 -F)

SOLUBILITY IN;

WATER: Miscible ETHANOL: Miscible log Po/w: Not available

## 10. STABILITY AND REACTIVITY

CONDITION TO AVOID: Sunlight, heat

INCOMPATIBILITY (MATERIAL TO AVOID): Water-reactive materials (Alkali metals etc.)

<u>HAZARDOUS DECOMPOSITION PRODUCTS</u>: Carbon monoxide, phosphor oxides and chloride compounds may be formed.

HAZARDOUS POLYMERIZATION: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY DATA: Not available as the mixture

<u>IRRITATION DATA</u>: Not available as the mixture <u>MUTATION DATA</u>: Not available as the mixture

<u>REPRODUCTIVE EFFECTS DATA</u>: Not available as the mixture <u>TUMORIGENIC DATA</u>: Not available as the mixture and components

## 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: Not available

**BIOACCUMULATION POTENTIAL**: Not available

<u>AQUATIC TOXICITY</u>: Not available <u>FISH TOXICITY</u>: Not available

#### 13. DISPOSAL CONSIDERATION

After use, this production must be sterilized. And any disposal practice must be in compliance with country, local, state, and federal laws and regulations (contact country, local or state environmental agency for specific rules).

## 14. TRANSPORT INFORMATION

IATA: Not Restricted.

**DOT** (Department of Transportation): Not a Hazardous Material for DOT shipping.

Specific safety measures and conditions of the transportation.

Check leaky containers and load it with not wiping out, dropping, blighting. Surely prevent collapse of cargo.

## 15. REGULATORY INFORMATION

## **US REGULATIONS**

(1); Mass. Subst. List , New Jers. RTK Haz. Subst. List , Penn. Haz. Subst. List , CWA/311

Haz., CERCLA Haz. Subst., DOT Haz. Sub. and Rep. Quant.

EPA: CERCLA RQ= 5000 lb

**EPCRA TPQ= Not listed** 

FIFRA 1998 STATUS OF PESTICIDES: Cancelled

OSHA: TQ= Not listed

(2);

EPA: CERCLA RQ= Not listed

**EPCRA TPQ= Not listed** 

FIFRA 1998 STATUS OF PESTICIDES: RED Completed

OSHA: TQ= Not listed

(3);

EPA: CERCLA RQ= Not listed

EPCRA TPQ= Not listed OSHA: TQ= Not listed EU REGULATIONS:

SYMBOL: -----R-phrases: -----S-phrases: -----

EC index No.: (1)-(3); Not listed

## **16. OTHER INFORMATION**

#### No specific notes

The above information is believed to be correct to be the best of our knowledge and information but does not purport to be all inclusive and shall be used only as a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk and Elmex shall not be held liable for any damage resulting from handling or from contact with the above material.