Safety Data Sheet



Date of issue:11th October 2007

1.Identification of a product and manufacturer

Product name: Pro·media FC-20

Manufacturer: Elmex Shanghai, Ltd.

Supplier (in JAPAN): Elmex, Ltd.

2-1, Ichigayasadohara-cho, Shinjuku-ku, Tokyo, 162-0842, Japan

Tel: 081-3-5229-7911

Emergencies Call: 081-3-5229-7911

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Content(15.702g/1.00L Of purified water)
Sodium thioglycolate	1. 500g
Disodium phosphate	1. 100g
Sodium chloride	10. 000g
Calcium chloride	0.090g
Sodium lauryl sulfate	0. 100g
Agar	3. 000g
PH indicator	0.012g

 $(pH7.6\pm0.4)$

3. HAZARDS IDENTIFICATION

The most important dangerous balefulness

<u>Balefulness</u>: Nothing in paticulaly <u>Environmental impact</u>: No data

Danger of physics and chemistry: No data

4. First aid measures

<u>After swallowing</u>: Wash with water isside of a mouth. If symptoms express, consult a doctor.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

<u>After eye contact</u>: Rinse opened eye for several minutes under water. If symptoms express, consult a doctor.



5. Fire fighting meaures

Extinguishing agent: This product is nonflammability. Use the suitable extinguishing agent for the circumference fire.

Specific hazardous substances: There is particularly no it

Specific extinguish measures: This product is nonflammability. The fire is put out by using a suitable extinguishing agent. Move a removable container to a safe place immediately. In case of impossible moving, it cools off with a water mist to circumference. Perform extinguishing works as much as possible from the windward.

<u>Protection of those who extinguish the fire</u>: In the case of extinguishing work, wear a protection equipments as much as possible, and perform it from the windward

6.Accidental release measures

<u>Instructions for human body protection</u>: In case of accidental release measures, wear a rubber glove, protection glasses, protection clothes, etc.

<u>Instructions for environmental protection</u>: Take care that the leaked product is not drained in rivers and do not cause influence to environments careful.

<u>A removal method</u>: When it is leaked, wipe it off with a dustcloth.

7. Handing and storage

Handing

<u>Technical measures</u>: Avoid contacting high temperature objects and highly acidic substances.

Caution on safe handing: Do not upset, make it fall, shock, or drag a container.

After use wash a hand, a face, well and gargle. Don't eat, drink, and smoke any place other than an appointed place. Don't bring in a tool for protection that others polluted gloves at space for relaxation.

<u>Information for safe handing</u>: Wear a suitable protection equipment so that an eye, the skin, and clothing may not be touched.



Storage

<u>Information about suitable storage</u>: Avoid direct rays, seal and keep at the room temperature.

8. Exposure preventations and protection measures

<u>Measures against equipment</u>: Install equipment for the handwashing and eyewashing near the handling place, and display the position of equipment clearly.

Management concentration: Not set up

Permission concentration

Japan Society for Occupational Health: Not set up

Protection equipment

<u>Respiratory protection</u>: Use a NIOSH/MSHA or European Standard EN149 approved respirator if the vapor concentrations exceed regulatory guidelines.

Hand protection: Chemical resistant gloves.

<u>Eye protection</u>: Safety glasses (goggles)

Skin protection: Protective clothing

CONTROL PARAMETER: (1)-(3); OSHA Final Limits: None established

ACGIH TLV(s): None established

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>APPEARANCE</u>: Blue gel

ODOR: Sweet odor

pH: 7.6±0.4

BOILING POINT: Not available

MELTING POINT: Not available

FLASH POINT: Not available

FLAMMABILITY (solid, gas): ----

DECOMPOSITION TEMPERATURE: Not available

EXPLOSIVE LIMITS: Not available

<u>VAPOR PRESSURE</u>: Not available

<u>SPECIFIC GRAVITY</u>: Approx. 1007 (at 20/4 - C= 68/39.2 - F)

SOLUBILITY IN;

WATER: Miscible ETHANOL: Miscible log Po/w: Not available



10. STABILITY AND REACTIVITY

CONDITION TO AVOID: Sunlight, heat

<u>INCOMPATIBILITY (MATERIAL TO AVOID)</u>: Water-reactive materials (Alkali metals etc.)

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, phosphor oxides and chloride compounds may be formed.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY DATA: Not available as the mixture

IRRITATION DATA: Not available as the mixture

MUTATION DATA: Not available as the mixture

REPRODUCTIVE EFFECTS DATA: Not available as the mixture

TUMORIGENIC DATA: Not available as the mixture and components

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: Not available

BIOACCUMULATION POTENTIAL: Not available

AQUATIC TOXICITY: Not available

FISH TOXICITY: Not available

13. DISPOSAL CONSIDERATION

After use, This production must be sterilized. And any disposal practice must be in compliance with country, local, state, and federal laws and regulations (contact country, local or state environmental agency for specific rules).

14. TRANSPORT INFORMATION

IATA: Not Restricted.

DOT (Department of Transportation): Not a Hazardous Material for DOT shipping.

Specific safety measures and conditions of the transportation.

Check leaky containers and load it with not wiping out, dropping, blighting. Surely prevent collapse of cargo.



US REGULATIONS

(1); Mass. Subst. List , New Jers. RTK Haz. Subst. List , Penn. Haz. Subst. List , CWA/311

Haz., CERCLA Haz. Subst., DOT Haz. Sub. and Rep. Quant.

EPA: CERCLA RQ= 5000 lb EPCRA TPQ= Not listed

FIFRA 1998 STATUS OF PESTICIDES: Cancelled

OSHA: TQ= Not listed

(2);

EPA: CERCLA RQ= Not listed

EPCRA TPQ= Not listed

FIFRA 1998 STATUS OF PESTICIDES: RED Completed

OSHA: TQ= Not listed

(3);

EPA: CERCLA RQ= Not listed

EPCRA TPQ= Not listed
OSHA: TQ= Not listed
EU REGULATIONS:

SYMBOL: ---R-phrases: ---S-phrases: ----

EC index No.: (1)-(3); Not listed

16. OTHER INFORMATION

No specific notes

The above information is believed to be correct to be the best of our knowledge and information but does not purport to be all inclusive and shall be used only as a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk and Elmex shall not be held liable for any damage resulting from handling or from contact with the above material.